

Half size, half price



### Proven technology

The Citizen CL-S6621 combines the advantages of the well-proven metal Hi-Lift™ mechanism for easy ribbon and media loading with the benefits of an industrial twin-wall ABS housing.

### Compact design

The compact design of the Citizen CL-S6621 makes it the smallest 6 inch printer in the market and the ideal choice for all environments where space is premium.

### Easy operation and media change

Media and ribbons can easily be changed thanks to the Hi-Open™ housing.

## CL-S6621

Label, Wide Format (6 & 8-inch)

### Applications

- Courier
- Logistic / Transport
- Manufacturing
- Warehousing



The new dimension in 6 inch printing

TOMORROW'S PRINTING TODAY

Citizen Systems Europe GmbH, Elizabeth House, 56-60 London Road, Staines-Upon-Thames, TW18 4HF, United Kingdom

CITIZEN SYSTEMS EUROPE GMBH



The CL-S6621 features an internal mains power supply which reduces the footprint and avoids cabling issues. At the same time it adds weight and stability to the printer.

## Specifications

<b>Model</b>	<b>CL-S6621</b>
<b>Printing Technology</b>	Thermal Transfer + Direct Thermal
<b>Resolution</b>	203 dpi
<b>Print Speed (maximum)</b>	6 inches per second (150 mm/s)
<b>Print Width (maximum)</b>	6 inches (168 mm)
<b>Media Width (min to max)</b>	2 to 7 inches (50 to 178 mm)
<b>Roll Size (max), Core Size</b>	Inside diameter 5 inches (125 mm) Core size 1 to 3 inches (25.4 to 76 mm)
<b>Media Thickness (min to max)</b>	63.5 to 254 µm
<b>Media Length (min to max)</b>	0.25 to 32 inches (6.35 to 812.8 mm)
<b>Media Sensor</b>	Fully adjustable gap, notch, reflective black mark and media low
<b>Main Interface</b>	Dual Interface Serial (RS-232C), USB (version 2.0, full speed)
<b>Optional interfaces</b>	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)
<b>Ribbon size</b>	2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core
<b>Ribbon winding &amp; type</b>	Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type
<b>Ribbon system</b>	ARCP™ automatic ribbon tension adjustment
<b>Mechanism</b>	Hi-Lift™ metal mechanism with wide opening head
<b>Control panel</b>	4 buttons and 4 LEDs
<b>Emulations (Languages)</b>	Cross-Emulation™ - autoswitch between Zebra® and Datamax® emulations, Zebra® ZPL2®, CBI™ BASIC Interpreter, Datamax® DMX
<b>Drivers and software</b>	Free-of-charge on CD with printer, including support for various platforms

## CL-S6621

Label, Wide Format (6 & 8-inch)

### Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Media support: Large media capacity - holds rolls up to 4.9 inches (125 mm)
- Ribbon options: Wide range of ribbon options - Uses up to 360 metres inside and outside wound ribbons
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply



All-metal mechanisms for strength and durability

<b>Model</b>	<b>CL-S6621</b>
<b>Flash (Non-Volatile Memory)</b>	8 MB total, 1 MB available for user
<b>Size (W x D x H) and Weight</b>	303 x 290 x 273 mm, 7.9 Kgs
<b>Cutter</b>	Guillotine type, Dealer Installable

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0